



RS232C Serial Communication Cable AIHM5xx to loose wires



Signal	Pin No	Wire Color
Connector housing		
GND (SG)	1	green
	2	
TxD (SD)	3	brown
RxD (RD)	4	yellow or white
	5	
	6	
	7	
	8	
	9	



Signal	Pin No
GND	SG
RxD	(RD)
TxD	(SD)




- Remarks:
- This cable is designed as communication cable between a AIHM5xx panel (sub-d 9pin) to a FP0R, FP-X or FP-Sigma, FP7 (COM0, COM1, COM2) PLC.
 - RTS signal not support.
 - Length A-B: 2,0 meters.
 - For further information, please refer to the corresponding manuals.


Specification Sheet			
Product Number			
AIHM8023220		Leaflet	
Version	Date	designed by	approved
1.0	2014-07-16	Bachmann	Hotz

RS232C Serial Communication Cable


AIHM5xx to FPxx PLC (TOOL Port)



Signal	Pin No	Wire Color
Connector housing		
GND	1	
	2	
TxD (SD)	3	
RxD (RD)	4	
	5	
	6	
	7	
	8	
	9	



Signal	Pin No
housing	
GND	1
RxD	3
TxD	2



Specification Sheet

Product Number			
AIHM8123220		Leaflet	
Version	Date	designed by	approved
1.0	2014-09-29	Bachmann	Hotz
1.1	2015-08-05	Kunath	Hotz

Remarks:

- This cable is designed as communication cable between a AIHM5xx panel (sub-d 9pin) to a FP PLC.
- Length A-B: 2,0 meters.
- For further information, please refer to the corresponding manuals.

RS485C Serial Communication Cable

AIHM5xx to loose wires



Signal	Pin No	Wire Color
Connector housing		
	1	
	2	
CHA-	3	brown
CHB-	4	
	5	
	6	
CHB+	7	
CHA+	8	yellow or white
	9	

Signal	Pin No
CHA-	
CHA+	

↑
Connect to PLC

Remarks:

- This cable is designed as communication cable between a AIHM5xx panel (sub-d 9pin) to a FP0R, FP-X or FP-Sigma, FP7 (COM1) PLC.
- Length A-B: 2,0 meters.
- For further information, please refer to the corresponding manuals.

Specification Sheet

Product Number			
AIHM8048520		Leaflet	
Version	Date	designed by	approved
1.0	2014-07-16	Bachmann	Hotz
1.01	2014-11-14	Bachmann	Hotz